Model: WB988947

EXCLUSIVE BRANDS BESTSELLER

Global Industrial™ Forklift Telescoping Jib Boom Crane, 86-1/4" - 153-3/4"L, 4000 Lb. Capacity

★★★★★ (20)







Ships within 1 Business Day

Product Description

✓ 4000 lb single-hook max load at 36"
✓ 84-7/8" - 153-3/4" telescoping length range
✓ 2-1/2" x 7-1/4" fork pocket, 24" on center

Install the manual-adjustment Global Industrial™ Forklift Telescoping Jib Boom Crane onto a forklift to lift and move heavy, awkward, or long loads safely & efficiently. It simply slips onto the forks of a counter-balanced forklift truck and attaches to its mast using a welded-on

safety chain. The boom has two hoisting hooks that offer different load attachment locations and four intermediate supports points on 12" centers that allow you to attach loads at different points or to add extra support for long loads. Weight capacities are calculated based on the distance from the mast face to the load center. Please note that OSHA requires contacting the manufacturer of your truck for written approval for the use of any fork truck attachments. Limited 1-Year Warranty.

- 36" minimum & 144" maximum hook point
- 1750 lb single-hook max load at 144"
- Integrated handle on boom makes adjusting it fast & easy
- Locking screw secures boom in any position
- Heavy-duty steel with a durable, chip-resistant enamel finish
- Welded safety chain with hook anchors jib boom to truck
- Slot lock for quick-chain use
- Two hoisting hooks: one swivel on the end & one rigid on the main arm
- No assembly required

Specifications

Weights & Dimensions

Width	32 in
Height	13 in
Weight Capacity	4000 lbs
Weight	360 lbs
Extended Length	153-3/4 in
Center to Center of Fork Tine	24 in
Fork Opening	7-1/4 x 2-1/2 in
Retracted Length	86-1/4 in

Product Details

Assembly Required	No
Type	Telescopic Boom Crane
Color	Blue

Material	Steel
Manufacturers Part Number	988947
Brand	Global Industrial