Model: WB634164

BESTSELLER

Ingersoll Rand SS5L5, 5 HP, Single-Stage Comp, 60 Gal, Vertical, W/Start-up Kit, 1-Phase 230V

★★★★★ (0)







Ships within 1 Business Day

Product Description

Ingersoll Rand SS5L5, 5 HP, Single-Stage Comp, 60 Gal, Vertical, 135 PSI, 18.1 CFM, 1-Phase 230V, With Start-up Kit

Installs in shops for reliable commercial use. The durable cast iron cylinder and frame ensure long service life. 5 HP electric single stage motor is splash lubricated, has continuous duty cycle. Motor has manual thermal overload protection and quiet operation and operates without a starter. ASME National Board coded receiver tank includes

discharge mounted check valve, pressure gauge, drain valve, service valve, and relief valve. 220 volts.
Automatic start/stop pressure switch has manual on/off lever. Totally enclosed belt guard provides shield around the flywheel, belt and motor sheave for safety. Regulator included. Meets OSHA standards. UL, CSA and ASME compliant. **1 Year Limited Warranty.**

Specifications

Weights & Dimensions

Length	20 in
Width	30 in
Height	71 in
Weight	310 lbs
Tank Size	60 gal
Tank Outlet	1/2"

Product Details

Oil Type	Oil Lubricated
Air Dryer	No
Oil System	Splash Lubricated
Pump Drive	Belt Drive
Pump Material	Cast Iron
Tank Drain Valve	Manual
Max PSI	135 psi
Phase	1
Tank Orientation	Vertical
Oil Sight Glass	Yes

Manufacturers Part Number	20103180
Pump Type	Single-Stage
Low Oil Shutoff	No
Brand	Ingersoll Rand
Type	Single-Stage
CFM	18.1 CFM
Horsepower	5 HP
Color	Tan
After Cooler	No
Voltage	230 V
Air Filter	No

Warranty

Warranty	1 yr

Compliance & Certifications

Certifications	UL/CSA/ASME