Model: WBB3177145

BESTSELLER

NOCO® Boost Max™ UltraSafe Lithium Jump Starter, 2'L Cord, 6250A, 12V/24V

★★★★★ (0)



Ships Same Day

Product Description

The GB500 is a 6250-amp portable lithium jump starter for gasoline and diesel engines up to 45-liters, including semi-trucks (up to class 8), motorhomes, coaches, buses, mining, agricultural, construction, and vocational equipment - 6, 8, 12, and 16 cylinder - and more.

Features:

- Introducing our most powerful lithium jump starters yet. Designed for the largest, most challenging engine starts ever. With over 6250-amps of starting power, it can jump start gasoline and diesel engines up to 45-liters
- Safe and easy to use battery jump starter pack without the worry of incorrect connections or sparks. Safely connect to any 12-volt and 24-volt battery with our mistake-proof design featuring spark-proof technology and reverse polarity protection
- Jump starters this powerful typically are enormous and weigh hundreds of pounds, but our high discharge lithium technology makes it the most compact and lightweight design in the world - weighing a mere 24-pounds. And its portable carrying case makes jump starting more convenient than ever
- It's not just a lithium jump starter but also a portable power bank for recharging smartphones, tablets, and other USB devices, with an ultra-bright 2,200-lumen LED flashlight with seven light modes, including emergency strobe and SOS
- Illuminates white when unit is ON. Illuminates after 60-seconds timeout countdown. Remove clamps or powder unit OFF/ON to reset
- Indicates the changes level of the internal battery
- Includes: GB500+ Lithium Battery Jump Starter, Boost Max 24-Inch 2/0 AWG Connectors, 56-Watt XGC Power Adapter, 12-Volt Female Plug,12-Volt Male Plug,12-Volt 2-Foot XGC Cable, Protective Carrying Case, Safety & Warranty Information
- Starting Current: 6250 Amps (Peak)
- Internal Battery: 266 Watt-Hour Lithium-Ion
- Operating Temperature: -22°F to 122°F (-30°C to +50°C)
- Charging Temperature: 32°F to 104°F (0°C to +40°C)
- Storage Temperature: -20°C to +50°C
- USB (Output): Dual 5 Volts, 2.1 Amps
- Cooling: Natural Convection
- 12V XGC (Input): 12 Volt, 5 Amp
- 12V XGC (Output): 12.8 Volt, 15 Amp
- Gas Engine Rating: Up to 45.0 Liters, Safe On All Engine Sizes
- Diesel Engine Rating: Up to 45.0 Liters, Safe On All Engine Sizes
- LED Worklight: 2,200-Lumens
- IP Rating: IP65 (w/ Ports Closed)
- Limited Warranty: 1-Year Hassle-Free Warranty

Specifications

Weights & Dimensions

Length	12-1/4
Width	8-1/8 in
Height	6-3/8 in
Weight	14.7 lbs
Cable Length	2
Gauge	2/0

Product Details

Type	Jump Starter
Color	Black
Voltage	12/24 V
Material	Plastic
Description	Portable Lithium Jump Starter
Package Quantity	1
Manufacturers Part Number	GB500
Brand	Noco